

AD-A166 319

LIGHT SCATTERING FROM A DEEP METALLIC GRATING(U) STATE 1/1  
UNIV OF NEW YORK AT BUFFALO DEPT OF CHEMISTRY  
D AGASSI ET AL. APR 86 UBUFFALO/DC/86/TR-7


UNCLASSIFIED

N00014-86-K-0043

F/G 20/6

NL





MICROCOPY

CHART

12

OFFICE OF NAVAL RESEARCH

Contract N00014-86-K-0043

TECHNICAL REPORT No. 7

Light Scattering from a Deep Metallic Grating

by

Dan Agassi and Thomas F. George

Prepared for Publication

in

AIP Conference Proceedings

Departments of Chemistry and Physics  
State University of New York at Buffalo  
Buffalo, New York 14260

April 1986

Reproduction in whole or in part is permitted for any purpose  
of the United States Governemt.

This document has been approved for public release and sale;  
its distribution is unlimited.

DTIC  
ELECTE  
APR 07 1986  
S D

AD-A166 319

DTIC FILE COPY

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

## REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS																			
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited																			
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE																					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)  UBUFFALO/DC/86/TR-7		5. MONITORING ORGANIZATION REPORT NUMBER(S)																			
6a. NAME OF PERFORMING ORGANIZATION Depts. Chemistry & Physics State University of New York	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION																			
6c. ADDRESS (City, State and ZIP Code) Fronczak Hall, Amherst Campus Buffalo, New York 14260		7b. ADDRESS (City, State and ZIP Code) Chemistry Program 800 N. Quincy Street Arlington, Virginia 22217																			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER																			
8c. ADDRESS (City, State and ZIP Code) Chemistry Program 800 N. Quincy Street Arlington, Virginia 22217		10. SOURCE OF FUNDING NOS. <table border="1"> <tr> <td>PROGRAM ELEMENT NO.</td> <td>PROJECT NO.</td> <td>TASK NO.</td> <td>WORK UNIT NO.</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.														
PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.																		
11. TITLE Light Scattering from a Deep Metallic Grating																					
12. PERSONAL AUTHOR(S) Dan Agassi and Thomas F. George																					
13a. TYPE OF REPORT Interim Technical	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Yr., Mo., Day) April 1986	15. PAGE COUNT 6																		
16. SUPPLEMENTARY NOTATION Prepared for publication in the AIP Conference Proceedings																					
17. COSATI CODES <table border="1"> <tr> <th>FIELD</th> <th>GROUP</th> <th>SUB. GR.</th> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>		FIELD	GROUP	SUB. GR.										18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) <table border="0"> <tr> <td>LIGHT SCATTERING</td> <td>DRESSED EXPANSION</td> </tr> <tr> <td>DEEP METALLIC GRATING</td> <td>SURFACE PLASMON DISPERSION</td> </tr> <tr> <td>RAYLEIGH HYPOTHESIS</td> <td>LOCAL FIELD ENHANCEMENT</td> </tr> </table>		LIGHT SCATTERING	DRESSED EXPANSION	DEEP METALLIC GRATING	SURFACE PLASMON DISPERSION	RAYLEIGH HYPOTHESIS	LOCAL FIELD ENHANCEMENT
FIELD	GROUP	SUB. GR.																			
LIGHT SCATTERING	DRESSED EXPANSION																				
DEEP METALLIC GRATING	SURFACE PLASMON DISPERSION																				
RAYLEIGH HYPOTHESIS	LOCAL FIELD ENHANCEMENT																				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) <p>The conditions under which the Rayleigh hypothesis is exact and the convergence properties of the Rayleigh expansion are considered. The identification of the cause of the deficiency of this expansion suggests an alternative 'dressed' expansion with presumably simpler convergence properties. This proposition is checked for a sinusoidal grating (SG), for which convergence is found for an arbitrary value of <math>\beta = 2\pi g/d</math>, where <math>g</math> and <math>d</math> denote the height and periodicity of the SG, respectively. The dressed expansion is used to analyze the surface plasmon dispersion and local field enhancement distribution pertaining to the SG in the limit as <math>\beta</math> goes to infinity. The dispersion relation is comprised of two bands. The local field enhancement predicts stronger fields at the bottoms of the troughs than at the peaks of the SG.</p>																					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input checked="" type="checkbox"/> DTIC USERS <input type="checkbox"/>		21. ABSTRACT SECURITY CLASSIFICATION Unclassified																			
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. David L. Nelson		22b. TELEPHONE NUMBER (Include Area Code) (202) 696-4410	22c. OFFICE SYMBOL																		

# LIGHT SCATTERING FROM A DEEP METALLIC GRATING

Dan Agassi

Naval Surface Weapons Center, Silver Spring, Maryland 20910

Thomas F. George

Departments of Chemistry and Physics, State University of New York  
Buffalo, New York 14260

## ABSTRACT

The conditions under which the Rayleigh hypothesis is exact and the convergence properties of the Rayleigh expansion are considered. The identification of the cause of the deficiency of this expansion suggests an alternative "dressed" expansion with presumably simpler convergence properties. This proposition is checked for a sinusoidal grating (SG), for which convergence is found for an arbitrary value of  $\beta = 2\pi g/d$ , where  $g$  and  $d$  denote the height and periodicity of the SG, respectively. The dressed expansion is used to analyze the surface plasmon dispersion and local field enhancement distribution pertaining to the SG in the limit as  $\beta$  goes to infinity. The dispersion relation is comprised of two bands. The local field enhancement predicts stronger fields at the bottoms of the troughs than at the peaks of the SG.

## INTRODUCTION

Light scattering from a grating is a well-developed subject in classical optics. The underlining, well-known physical process is (elastic) Bragg scattering, i.e., the exchange of surface-parallel momentum between the grating and the incident light by an amount  $nk_G$ , where  $n = 0, \pm 1, \pm 2, \dots$  and the grating momentum is  $k_G = 2\pi/d$ . All notations are defined in Fig. 1. It is, however, important to




Fig. 1. Generic grating defining the notations. The incident light is directed downward, and the hatched area indicates the metal. The domains "a"- "d" pertain to the discussion of the Rayleigh expansion.

realize that, barring a few recent studies,<sup>2-6</sup> most of the work pertains to the restricted physical domain of shallow gratings where  $\beta = 2\pi g/d < 1$ . Light scattering from such gratings is



<input checked="" type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
Codes
1/or
ad

A-1

qualitatively different from that pertaining to deep gratings, i.e., when  $\beta \gg 1$ . In the former case, the grating can exchange only a limited number of  $k_G$  quanta, i.e.,  $n \sim \Theta(1)$ . Consequently, the scattered light is comprised of a dominant specular and a few Bragg components. On the other hand, for deep gratings,  $n \sim \Theta(\beta) \gg 1$  (see below). Hence, the scattered light is comprised of many, equally important and strongly interfering Bragg components, which gives the scattered light a new qualitative character. The theoretical description of the deep grating domain is at the focus of this paper.

### RAYLEIGH EXPANSION AND HYPOTHESIS

The Rayleigh expansion<sup>1,8</sup> provides a framework to the shallow grating work and a starting point to our analysis. It results from the underlying symmetry of the grating: Since it is invariant under translations  $x \rightarrow x + nd$ , where  $n$  is any integer, the Floquet-Bloch theorem implies that the electromagnetic field  $\vec{V}(x, z)$  has the property  $\vec{V}(x+d, z) = \exp[ik_{\parallel}d]\vec{V}(x, z)$  where  $k_{\parallel}$  is a surface-parallel (Fig. 1) momentum label. Consequently, the Fourier series expansion of the fields in a "unit cell"  $0 \leq x \leq d$  (the  $z$ -dependence is determined from the wave equation) suffices to describe the field throughout the  $xz$ -plane. When the proper boundary conditions at infinity and the vector character are incorporated, the ensuing p-wave expansion is the Rayleigh expansion:

$$\vec{E}_{\alpha}(x, z) = \sum_{\ell=-\infty}^{\infty} \left\{ C_{\alpha}(\ell) \hat{p}_{\alpha,-}(\ell) e^{i[k_{\ell}x - W_{\alpha}(\ell)z]} + A_{\alpha}(\ell) \hat{p}_{\alpha,+}(\ell) e^{i[k_{\ell}x + W_{\alpha}(\ell)z]} \right\}, \quad (1)$$

where

$$\begin{aligned} k(\alpha) &= \sqrt{\epsilon_{\alpha}} k, & k &= \omega_0/c, & k_G &= 2\pi/d, & \beta &= gkG, \\ W_{\alpha}(\ell) &= [k^2(\alpha) - k_{\ell}^2]^{1/2}, & k_{\ell} &= k + \ell k_G, & \text{Re}(W_d), \text{Im}(W_o) &\geq 0, \\ \hat{p}_{\alpha,\pm}(\ell) &= \frac{1}{k(\alpha)} [k_{\ell} \hat{z} \mp W_{\alpha}(\ell) \hat{x}], & \hat{s} &= \hat{x} \times \hat{z}. \end{aligned} \quad (2)$$

In (2),  $\hat{x}$  and  $\hat{z}$  are unit vectors in the  $x$ - and  $z$ - directions (Fig. 1), and  $\alpha$  denotes a domain in the  $xz$ -plane with a constant dielectric constant  $\epsilon_{\alpha}$ . Once a convenient partition of the  $xz$ -plane into domains has been chosen, the coefficients  $C_{\alpha}, A_{\alpha}$  are determined by matching the boundary conditions across the domain boundaries. To avoid mathematical pitfalls in the subsequent discussion, we confine ourselves henceforth to gratings such that the fields are non-singular everywhere.

The Rayleigh hypothesis can now be introduced in terms of expansions (1). For example, the grating in Fig. 1 calls for four expansions (1) while the Rayleigh hypothesis asserts that only two

are needed since the expansions in domains "a" and "b" are identical and likewise for domains "c" and "d". By matching the boundary conditions across the ( $z=g$ )-plane, we conclude that the hypothesis is exact for gratings whose profile is expressible in terms of a finite Fourier series. For other gratings, the Rayleigh hypothesis may, or may not be exact.

### DRESSED RAYLEIGH EXPANSION

Attempts to apply the Rayleigh expansion to deep-grating calculations indicate its divergence for  $\beta > 0.6$  (sinusoidal gratings).<sup>11</sup> This situation has motivated the introduction of alternative schemes<sup>2-6,12</sup> in the quest to enlarge the  $\beta$ -range accessible for calculations. Our approach is to expose the origin of the instability of (1) when  $\beta \gg 1$ , which then naturally leads to an alternative expansion -- the dressed expansion -- with excellent convergence properties.

For the grating in Fig. 1, the expansion in domain "0", which combines domains "a" and "b", is

$$\vec{E}_0(x,z) = \vec{E}_{in} + \sum_{l=-\infty}^{\infty} A_0(l) \hat{p}_{0,+}(l) e^{i[k_l x + W_0(l)z]}, \quad (3)$$

Disregarding the uninteresting phase  $\exp(ik_l x)$  and geometrical factor  $\hat{p}_{0,+}(l)$  in (3), the  $|l| \rightarrow \infty$  behavior is (see (2)):

$$A_0(l) e^{iW_0(l)z} \xrightarrow{|l| \rightarrow \infty} A_0(l) e^{-k_G |l|z}. \quad (4)$$

Consequently, at the bottom of a trough, where  $-g \leq z \leq 0$ , the  $z$ -dependent factor in (4) diverges exponentially. Therefore, to render the total field  $\vec{E}_0(x,z)$  finite, the exact  $A_0(l)$  must converge at least as  $\exp(-\beta|l|)$ . Hence for  $z < 0$ , (3) is a sum of energy terms, most of which are products of exponentially large factors times exponentially small numbers. The calculated  $A_0(l)$ , however, always entail an error which, when multiplied by  $\exp(\beta|l|)$ , yields large errors in  $\vec{E}_0(x,z)$ . Thus, (3) is intrinsically unstable as a scheme for  $\beta \gg 1$  (many  $|l|$ 's) calculations.

This deficiency is easily remedied by rewriting (4) as

$$A_0(l) e^{iW_0(l)z} = \alpha_0(l) e^{iW_0(l)(z+g)}, \quad (5)$$

where  $\alpha_0(l) = A_0(l) \exp[-iW_0(l)z]$ . By construction the RHS of (5) always converges for  $z+g > 0$ , and when  $z+g = 0$ , the  $\alpha_0(l)$  converge to render, by assumption, a finite  $\vec{E}_0(x,z)$  on the grating's surface. Therefore, by transcribing (1) into the "dressed" expansion, as defined by the transformation (5), a major flaw in (1) is eliminated.

The convergence of the dressed expansion can be explicitly demonstrated for a sinusoidal metallic grating.<sup>10</sup> Lack of space does not allow us to outline the analysis. The results are that the dressed expansion converges for an arbitrary large  $\beta$ , and the number of significant components in the dressed expansion is on the order  $N \sim 4\beta$ . This analysis also explains why the (bare) Rayleigh expansion diverges for  $\beta > 0.6$ .<sup>11</sup>

#### SURFACE PLASMON (SP) DISPERSION RELATION IN THE $\beta \rightarrow \infty$ LIMIT

As an application of the dressed expansion, we consider the SP dispersion relation<sup>13</sup> in the  $\beta \rightarrow \infty$  limit for a sinusoidal grating. Lack of space allows us only quote the result:

$$\frac{[3k^2(0) + k^2(1)](k^2(0) + 3k^2(1))}{3[k^2(0) + k^2(1)]^2} = \left\{ \frac{\sin[L(\alpha+\gamma)]\sin[\frac{\alpha-\gamma}{2}] - \sin[L(\alpha-\gamma)]\sin[\frac{\alpha+\gamma}{2}]}{\sin[L(\alpha+\gamma)]\sin[\frac{\alpha-\gamma}{2}] + \sin[L(\alpha-\gamma)]\sin[\frac{\alpha+\gamma}{2}]} \right\}^2, \quad (6)$$

where  $k(1) = k\sqrt{\epsilon_1}$  from Eq. (1),  $\gamma = 2\pi k/k_G$ ,

$$\alpha = \frac{\pi}{k_G} \{-[k^2(0) + k^2(1)]\}^{1/2}, \quad (7)$$

and  $L = \Theta(\beta) \gg 1$ , the precise value of which is immaterial.

The analysis of (6) is straightforward: The LHS is a smooth function of  $x = k/k_G$ , where  $k_p = \omega/c$  and  $\omega$  is the (volume) plasmon frequency. At  $x = 0$  it is unity, decreasing monotonically to  $-\infty$  at  $x = 1/\sqrt{2}$  and subsequently increasing and becoming positive for  $x \geq \sqrt{3}/2$ . The RHS of (6), on the other hand, is rapidly oscillating with frequency  $-1/\beta$  and amplitude  $-\beta$ . Furthermore, since  $\alpha$  (Eq. (7)) is real for  $x < 1/\sqrt{2}$  and imaginary for  $x > 1/\sqrt{2}$ , the RHS of (6) is positive and negative, respectively. Consequently, (6) has a large number of solutions  $\Theta(\beta)$  in the domains  $0 \leq x \leq 1/2$  and  $\sqrt{2}/2 \leq x \leq \sqrt{3}/2$ .<sup>13</sup> The frequency band gap between these two bands is hence  $\Delta\omega/\omega_p = (\sqrt{2}-1)/2$ .<sup>14</sup> This outcome is in keeping with the known behavior for  $\beta \ll 1$ .

In summary, we have exposed the reason for the poor convergence of the Rayleigh expansion when  $\beta \gg 1$ , and introduced an alternative expansion -- the dressed expansion -- which has allegedly very good convergence properties. This premise is explicitly demonstrated for a sinusoidal grating. We have also discussed the surface plasmon dispersion relation in the  $\beta \rightarrow \infty$  limit, where we find that the branches tend to cluster into two bands separated by  $\Delta\omega/\omega_p = (\sqrt{2}-1)/2$ .



#### ACKNOWLEDGMENTS

This research was supported by the Office of Naval Research and the Air Force Office of Scientific Research (AFSC), the United States Air Force, under Contract F49620-86-C-009.

#### REFERENCES

1. See, for example, *Electromagnetic Theory of Diffraction Gratings*, edited by R. Petit (Springer, New York, 1980).
2. N. E. Glass and A. A. Maradudin, *Phys. Rev. B* 24, 595 (1981).
3. P. Sheng, R. S. Stepleman and P. N. Sanda, *Phys. Rev. B* 26, 2907 (1982).
4. M. Weber and D. L. Mills, *Phys. Rev. B* 27, 2698 (1983).
5. A. Wirgin and T. Lopez-Rios, *Opt. Commun.* 48, 416 (1984).
6. N. Garcia, G. Diaz, J. J. Saenz and C. Ocal, *Surf. Sci.* 143, 338 (1985).
7. See the paper by S. R. J. Brueck in this Conference Proceedings for a discussion of experimental work on deep gratings.
8. Lord Rayleigh, *Theory of Sound*, 2nd Ed. (Dover, New York, 1945), Vol. II, p. 89.
9. J. E. Sipe, *Surf. Sci.* 105, 489 (1981).
10. D. Agassi and T. F. George, *Phys. Rev. B*, in press.
11. N. Garcia, V. Celli, N. R. Hill and N. Cabrera, *Phys. Rev. B* 18, 5184 (1978).
12. F. Toigo, A. Marvin, V. Celli and N. R. Hill, *Phys. Rev. B* 15, 5618 (1977).
13. D. Agassi and T. F. George, *Surf. Sci.*, in press.
14. B. Laks, D. L. Mills and A. A. Maradudin, *Phys. Rev. B* 23, 4965 (1981).

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 5042 Crane, Indiana 47522	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Dr. David L. Nelson Chemistry Division Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217	1

ABSTRACTS DISTRIBUTION LIST, 056/625/629

Dr. G. A. Somorjai  
Department of Chemistry  
University of California  
Berkeley, California 94720

Dr. J. Murday  
Naval Research Laboratory  
Surface Chemistry Division (6170)  
455 Overlook Avenue, S.W.  
Washington, D.C. 20375

Dr. J. B. Hudson  
Materials Division  
Rensselaer Polytechnic Institute  
Troy, New York 12181

Dr. Theodore E. Madey  
Surface Chemistry Section  
Department of Commerce  
National Bureau of Standards  
Washington, D.C. 20234

Dr. J. E. Demuth  
IBM Corporation  
Thomas J. Watson Research Center  
P.O. Box 218  
Yorktown Heights, New York 10598

Dr. M. G. Lagally  
Department of Metallurgical  
and Mining Engineering  
University of Wisconsin  
Madison, Wisconsin 53706

Dr. R. P. Van Duyne  
Chemistry Department  
Northwestern University  
Evanston, Illinois 60637

Dr. J. M. White  
Department of Chemistry  
University of Texas  
Austin, Texas 78712

Dr. D. E. Harrison  
Department of Physics  
Naval Postgraduate School  
Monterey, California 93940

Dr. W. Kohn  
Department of Physics  
University of California, San Diego  
La Jolla, California 92037

Dr. R. L. Park  
Director, Center of Materials  
Research  
University of Maryland  
College Park, Maryland 20742

Dr. W. T. Peria  
Electrical Engineering Department  
University of Minnesota  
Minneapolis, Minnesota 55455

Dr. Keith H. Johnson  
Department of Metallurgy and  
Materials Science  
Massachusetts Institute of Technology  
Cambridge, Massachusetts 02139

Dr. S. Sibener  
Department of Chemistry  
James Franck Institute  
5640 Ellis Avenue  
Chicago, Illinois 60637

Dr. Arnold Green  
Quantum Surface Dynamics Branch  
Code 3817  
Naval Weapons Center  
China Lake, California 93555

Dr. A. Wold  
Department of Chemistry  
Brown University  
Providence, Rhode Island 02912

Dr. S. L. Bernasek  
Department of Chemistry  
Princeton University  
Princeton, New Jersey 08544

Dr. P. Lund  
Department of Chemistry  
Howard University  
Washington, D.C. 20059

ABSTRACTS DISTRIBUTION LIST, 056/625/629

Dr. F. Carter  
Code 6132  
Naval Research Laboratory  
Washington, D.C. 20375

Dr. Richard Colton  
Code 6112  
Naval Research Laboratory  
Washington, D.C. 20375

Dr. Dan Pierce  
National Bureau of Standards  
Optical Physics Division  
Washington, D.C. 20234

Dr. R. Stanley Williams  
Department of Chemistry  
University of California  
Los Angeles, California 90024

Dr. R. P. Messmer  
Materials Characterization Lab.  
General Electric Company  
Schenectady, New York 22217

Dr. Robert Gomer  
Department of Chemistry  
James Franck Institute  
5640 Ellis Avenue  
Chicago, Illinois 60637

Dr. Ronald Lee  
R301  
Naval Surface Weapons Center  
White Oak  
Silver Spring, Maryland 20910

Dr. Paul Schoen  
Code 5570  
Naval Research Laboratory  
Washington, D.C. 20375

Dr. John T. Yates  
Department of Chemistry  
University of Pittsburgh  
Pittsburgh, Pennsylvania 15260

Dr. Richard Greene  
Code 5230  
Naval Research Laboratory  
Washington, D.C. 20375

Dr. L. Kesmodel  
Department of Physics  
Indiana University  
Bloomington, Indiana 47403

Dr. K. C. Janda  
California Institute of Technology  
Division of Chemistry and Chemical  
Engineering  
Pasadena, California 91125

Dr. E. A. Irene  
Department of Chemistry  
University of North Carolina  
Chapel Hill, North Carolina 27514

Dr. Adam Heller  
Bell Laboratories  
Murray Hill, New Jersey 07974

Dr. Martin Fleischmann  
Department of Chemistry  
Southampton University  
Southampton SO9 5NH  
Hampshire, England

Dr. John W. Wilkins  
Cornell University  
Laboratory of Atomic and  
Solid State Physics  
Ithaca, New York 14853

Dr. Richard Smardzewski  
Code 6130  
Naval Research Laboratory  
Washington, D.C. 20375

Dr. H. Tachikawa  
Chemistry Department  
Jackson State University  
Jackson, Mississippi 39217

ABSTRACTS DISTRIBUTION LIST, 056/625/629

Dr. R. G. Wallis  
Department of Physics  
University of California  
Irvine, California 92664

Dr. D. Ramaker  
Chemistry Department  
George Washington University  
Washington, D.C. 20052

Dr. J. C. Hemminger  
Chemistry Department  
University of California  
Irvine, California 92717

Dr. T. F. George  
Chemistry Department  
University of Rochester  
Rochester, New York 14627

Dr. G. Rubloff  
IBM  
Thomas J. Watson Research Center  
P.O. Box 218  
Yorktown Heights, New York 10598

Dr. Horia Metiu  
Chemistry Department  
University of California  
Santa Barbara, California 93106

Dr. W. Goddard  
Division of Chemistry  
California Institute of Technology  
Pasadena, California 91125

Dr. J. T. Keiser  
Department of Chemistry  
University of Richmond  
Richmond, Virginia 23173

Dr. R. W. Plummer  
Department of Physics  
University of Pennsylvania  
Philadelphia, Pennsylvania 19104

Dr. E. Yeager  
Department of Chemistry  
Case Western Reserve University  
Cleveland, Ohio 44106

Dr. N. Winograd  
Department of Chemistry  
Pennsylvania State University  
University Park, Pennsylvania 16802

Dr. Roald Hoffmann  
Department of Chemistry  
Cornell University  
Ithaca, New York 14853

Dr. A. Steckl  
Department of Electrical and  
Systems Engineering  
Rensselaer Polytechnic Institute  
Troy, New York 12181

Dr. G. H. Morrison  
Department of Chemistry  
Cornell University  
Ithaca, New York 14853

Dr. P. Hansma  
Physics Department  
University of California  
Santa Barbara, California 93106

Dr. J. Baldeschwieler  
California Institute of Technology  
Division of Chemistry  
Pasadena, California 91125

ABSTRACTS DISTRIBUTION LIST, 056/625/629

Dr. J. E. Jensen  
Hughes Research Laboratory  
3011 Malibu Canyon Road  
Malibu, California 90265

Dr. J. H. Weaver  
Department of Chemical Engineering  
and Materials Science  
University of Minnesota  
Minneapolis, Minnesota 55455

Dr. W. Goddard  
Division of Chemistry  
California Institute of Technology  
Pasadena, California 91125

Dr. A. Reisman  
Microelectronics Center of North Carolina  
Research Triangle Park, North Carolina  
27709

Dr. M. Grunze  
Laboratory for Surface Science and  
Technology  
University of Maine  
Orono, Maine 04469

Dr. J. Butler  
Naval Research Laboratory  
Code 6115  
Washington D.C. 20375

Dr. L. Interante  
Chemistry Department  
Rensselaer Polytechnic Institute  
Troy, New York 12181

Dr. Irvin Heard  
Chemistry and Physics Department  
Lincoln University  
Lincoln University, Pennsylvania 19352

Dr. K.J. Klaubunde  
Department of Chemistry  
Kansas State University  
Manhattan, Kansas 66506

Dr. W. Knauer  
Hughes Research Laboratory  
3011 Malibu Canyon Road  
Malibu, California 90265

Dr. C. B. Harris  
Department of Chemistry  
University of California  
Berkeley, California 94720

Dr. F. Kutzler  
Department of Chemistry  
Box 5055  
Tennessee Technological University  
Cookeville, Tennessee 38501

Dr. D. DiLella  
Chemistry Department  
George Washington University  
Washington D.C. 20052

Dr. R. Reeves  
Chemistry Department  
Rensselaer Polytechnic Institute  
Troy, New York 12181

END  
FILMED

5-86

DTIC